
# THE SOTA TOUCH<sup>™</sup>

### Ventless\* Rapid Cook Oven





- 1. Blower motor
- 2. Top launched microwave
- 3. Stirred impinged air (top) & microwave
- 4. Air impingement (bottom)
- 5. Catalytic converter
- 6. Impingement heater
- 7. Vent tube catalyst
- 8. Air filter
- 9. Inlet air for cooling electronic components



### ITEM No.

Model options:

THE SOTA TOUCH/1A (single phase)

Standard equipment:

- 1x Aluminium paddle
- 2x Solid aluminium tray
- 1x Wire oven rack
- 1x Oven guard protector spray 1x Non-caustic oven cleaner
- 12 Months parts and labour warranty

#### Performance:

• Utilising TurboChef's patented technology to rapidly cook food without compromising quality, the Sota provides superior cooking performance while requiring less space and consuming less energy.

**Exterior Construction:** 

- Powder coated, corrosion-resistant steel outer wrap and door.
- •Die-cast aluminum front panels with matte-chrome accents.
- +Cool-to-touch exterior; all surfaces below 50°C.
- •Ergonomic matte-chrome door handle.
- •4-inch adjustable legs.
- •7-inch capacitive touch screen with tempered glass cover.
- Interior Construction:
- ◆201/304 stainless steel.
- +Fully welded and insulated cook chamber.
- Removable rack and lower jetplate.

#### Features:

- Independently-controlled dual motors for vertically-recirculated air impingement.
- Top-launched microwave system.
- $\bullet$  Stirrer to help ensure even distribution of air and microwave.  $\bullet$  Integral recirculating catalytic converter for UL® (KNLZ) listed
- ventless\* operation.
- •External air filtration.
- Vent catalyst to further limit emissions and odours.
- +LED timer counts down last 30 seconds of cook time.
- •Smart menu system with touch screen interface capable of storing up to 256 recipes.
- Customisable menu settings smartcard, USB or manual entry.
- +Flash firmware updates via USB.
- Ethernet and Wi-Fi compatible (additional fees apply).
- Single or dual-temperature interface.
- •Self-diagnostics for monitoring oven components and performance.

\*Ventless cooking operation supported with the exception of food classified as 'raw fatty proteins' such as, but not limited to, bone-in skin-on chicken, raw bacon, raw hamburger etc. Ultimate ventless operation is subject to local authority regulations and landlord permissions.

ANSUNSF #4 81Y5 C C C

Taylor UK (a division of HTG Trading Ltd) 106 Claydon Business Park, Gt. Blakenham, Ipswich, Suffolk, IP6 ONL, United Kingdom 0800 838 896 - sales@taylor-company.co.uk www.taylor-company.co.uk

Due to continual research and development, these specifications are subject to change without notification - Jan 2020

THE SOTA TOUCH<sup>TM</sup> - Ventless\* Rapid Cook Oven

## THE SOTA TOUCH $^{\text{TM}}$



Ventless* Rapid Cook Oven		ITEM No.
	mm)	2.5" (658 mm) (658 mm) (993 mm)
THE SOTA TOUCH External OVEN dimensions (WxDxH)	SINGLE PHASE THREE PHASE 406 x 757 x 635 mm	_
Crated dimensions (WxDxH)	640 x 940 x 940 mm	
Net weight / crated weight	72 Kg / 93 Kg	
Cook chamber volume (usable)	15.4 ltr	
Cook chamber dimensions (WxDxH)	317 x 266 x 183 mm	
Wall clearance (sides/rear/top)	25 mm / 0 / 127 mm	
TurboChef ovens are NOT	designed for built-in installation.	A dedicated power supply fitted with a TYPE D circuit breaker is required for all
/oltage	230v / 50Hz / 1Ph 400v / 50 Hz / 3PH	TurboChef installations. Consult with a qualified electrician if in any doubt.
Max input/MW/heaters & blowers	6.2 kW / 3.2 kW / 6.0 kW	•Do not block the air inlets and exhaust outlets located on the bottom and rear of the oven. Ovens installed in enclosed areas with limited or no access may invalidate the
Circuit breaker (Type D required)	32 amp 20 amp	warranty.
lsolator socket	32 amp (1P+N+E) 32 amp (3P+N+E)	proteins' such as, but not limited to, bone-in skin-on chicken, raw bacon, raw hamburger etc. Ultimate ventless operation is subject to local authority regulations a landlord permissions. Improper installation may void the equipment warrant
C C ULUS ANSING F #4 8175	Due to continual research and deve	0800 838 896 - sales@taylor-company.co.uk www.taylor-company.co.uk